

The DS-K3G411LX series tripod turnstile is designed to detect unauthorized entrance or exit. By adopting the turnstile integratedly with the access control system, It is widely used in attractions, stadiums, construction sites, residences, etc.

- Easy integration of any third-party access control system via relay input.
- Bidirectional (Entering/Exiting) lane
- LED indicates the entrance/exit and passing status.
- Fire alarm passing: When the fire alarm is triggered, the arm will be dropped automatically for emergency evacuation.
- Valid passing duration settings: System will cancel the passing permission if a person does not pass through the lane within the valid passing duration
- With key buttons to configure turnstile's functions and parameters offline.



Specification

System	
Motor	N/A
MCBF	> 3 million times
Interface	
Exit button	2
Alarm input	1
TAMPER	NA
General	
Throughput	More than 35 persons per minute
	The actual throughput is affected by the person passing rate and passing method.
Lane width	550mm
Barrier material	SUS304 stainless steel
Pedestal material	SUS304 stainless steel
Built-in access controller	No
Power supply	Switching power supply: 100 to 240 VAC; 50 to 60 Hz
	Power adapter: 100 to 240 VAC; 50 to 60 Hz
Power consumption	Standby: 40W
Working temperature	Switching power supply: -20 °C to 65 °C (-4 °F to 149 °F)
	Power adapter: -10 °C to 45 °C (14 °F to 113 °F)
Working humidity	0% to 95% (No condensing)
Dimensions	Without package: 502 mm × 202 mm × 1010 mm (19.8" × 8.0" × 40.0")
	With package: 745 mm \times 365 mm \times 1120 mm (29.3" \times 14.4" \times 44.1")
Weight	Without package: 26 kg (57.3 lb)
	With package: 31 kg (68.41 lb)
Application environment	Indoor

Available Model

DS-K3G411LX-R/Pg-Dm55/adapter,DS-K3G411LX-R/Pg-Dm55,DS-K3G411LX-R/Dm55/adapter



Dimension





•





Headquarters No.555 Qianmo Road, Binjiang District, Hangzhou 310051, China T +86-571-8807-5998 www.hikvision.com

Follow us on social media to get the latest product and solution information.











Hikvision Corporate Channel



©Hikvision Digital Technology Co., Ltd. 2022 | Data subject to change without notice |